Adhesive tape AGF-100 FR, AGF-100, AGF-100A, AGF-100T, AGF-101, AGF-103T, AGF-900, AGF-300+400+500+600 series with release liner CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 1 / 6

Safety Data Sheet (SDS)

Date prepared	8-Apr-2016
Date revised	1-Apr-2022

Applicable products	CHUKOH FLO™ Adhesive tape		
	AGF-100 FR, AGF-100, AGF-100A, AGF-100T, AGF-101, AGF-103T, AGF-900, AGF-300•400•500•600 series with release liner		
1. Product and company identification	ation		
	Product name Product code Company name Address	See the applicable products above. - CHUKOH CHEMICAL INDUSTRIES, LTD. ATT New Tower 10F, 2-11-7, Akasaka, Minato-ku, Tokyo	
	Telephone Fax Recommended use Restrictions on use Information on domestic manufacturers, etc.	03-6230-4414/81-3-6230-4417 03-6230-4413/81-3-6230-4446 For industrial use For industrial use See above	
2. Hazards identification GHS Classification GHS label elements Pictures or symbols Warning statements Hazard information Cautionary statements Other hazards not related to o addressed by the GHS classification	or	Not applicable Not applicable No information available No information available No information available No information available	
Summary of important indicati and possible emergencies	ons	No information available	
Other		Not hazardous under normal handling. Heating fluorocarbon resin produces pyrolysis products (fumes), which may cause eye, nose, and lung irritation if inhaled.	

3. Composition/information on ingredients Substance/Mixture

Mixture

Chemical name or generic name	Concentration or concentration ranges	Chemical formula	Reference No. in gazetted list in Japan		
			Chemical Substances Control Law		CAS No.
Fluoro resin	34-64%	_	_	-	-
Glass	18-57%		Not applicable(M ixture)	Not known	65997-17-3
Adhesive material of silicone group	5.0-36%	Not identifiable	Not known	Not known	-

4.	First-aid measures	
	Inhalation	If fumes from heating or burning are inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice/attention if you feel unwell.
	Skin contact	Wash with plenty of soap and water. If molten polymer contacts skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Seek medical advice/attention if irritation occurs.
	Eye contact	Flush eyes cautiously with water for several minutes. Seek medical advice/attention if irritation persists.
	Ingestion	Rinse mouth. Seek medical advice/attention if you feel unwell.
	The most important manifestations of acute and delayed symptoms	No information available
	Precautions necessary for the protection of persons who provide first-aid measures	No information available
	Special precautions for physicians	No information available
5.	Fire-fighting measures	
	Appropriate fire extinguishing media	Small fires: Dry chemical, carbon dioxide, water spray, and general foam. Large fires: Water spray, water mist, and general foam.
	Fire extinguishing media that should not be used in case of fire	No information available
	Specific fire hazards	This product hardly flammable. Fire may produce irritating, corrosive, and/or toxic gas.
	Specific fire extinguishing methods	Move product from fire area if you can do so without risk.
	Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus (SCBA). Firefighters should wear protection clothing and self- contained breathing apparatus (SCBA).
	Cautions	When fluorocarbon resin is exposed to high temperatures, it produces harmful particulates, fumes, and gases. In case of fire, evacuate upwind as far as possible to avoid inhalation.
6.	Accidental release measures	
	Personal precautions, protective equipment and emergency procedures	Wear suitable protective equipment (see Section 8, Exposure controls/personal protection) to prevent inhalation and exposure of eyes or skin.
	Environmental precautions	Avoid discharge to rivers and environmental effects.
	Methods and materials for containment and cleaning up	Break into small pieces. Collect if scatter. Dispose in accordance with Section 13.
	Measures to prevent secondary accidents	No information available
7	Handling and storage	
1.	Handling and storage	
	Handling Technical measures	Install equipment in Section 8, Exposure controls/personal protection. Wear protective equipment.

Adhesive tape AGF-10	0 FR, AGF-100, AGF-100A, AGF-100 Precautions for safe handling	 AGF-101, AGF-103T, AGF-900, AGF-300.400.500.600 series with release liner CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 3 / 6 Do not carry cigarettes, cigars or tobaccos and do not smoke in the workplace as decomposition gas may be inhaled by smoking if the substance contacts them. Do not eat, drink or smoke when using the product. Prohibit the use of heat, sparks, and fire in the surrounding area. Watch out for fire. Do not touch, inhale or swallow this product. Use exhaust ventilation to maintain airborne levels below exposure limits.
	Avoidance of contact Hygiene measures	See Section 10, Stability and reactivity. Wash hands thoroughly after handling.
Storage	Conditions for safe storage	Stable at normal storage conditions. Storage at or below $25^\circ\!C$ and 60% RH is preferred.
	Safe containers and packaging materials	No restriction for packaging materials. Use containers which will not be broken.
8. Exposure controls/personal p	rotection	
Control concentration		
Allowable concentration		Not set
Engineering measures		Use explosion-proof electrical/ventilating/lighting/equipment. Good general ventilation should be sufficient to control airborne levels. If dust or fume is generated at high temperature install ventilation equipment to keep concentration of air pollutant below administrative level/allowable concentration limit.
Protective equipment		
	Respiratory protection	Wear respiratory protection. Wear air-supplied respirators or gas mask for organic gas.
	Hand protection	Wear eye protection.
	Eye protection	Wear personal protective equipment including protective clothing and protective mask if necessary.
	Skin and body protection	Wear personal protective equipment including protective clothing and protective mask if necessary.
9. Physical and chemical propert	ies	
Appearance	Physical state	Solid
	Physical state Color	Light brown
Odor		Odorless
Melting point/freezing point Boiling point, initial boiling point, and boiling range		Not available Not available
Flammability		Flame Retardancy
Lower explosion limit and upper explosion limit/flammable limit		
	Lower	Not available
-	Upper	Not available
Flash point		Not available

Adhesive tape AGF-100 FR, AGF-100, AGF-100A, AGF-100T, AGF-101, AGF-103T, AGF-900, AGF-300 • 400 • 500 • 600 series with release liner CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 4 / 6

	CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 4
Autoignition temperature	Not available
Decomposition temperature	Not available
РH	Not available
Viscosity	Not available
Solubility	Insoluble in water. Swells in some solvents.
Partition coefficient (n-octano	Not available
Vapor pressure	Not available
Density and/or relative density	Not available
Relative gas density	Not available
Particle characteristics	Not available
Other data	Not available
10. Stability and reactivity	
Reactivity	Hazardous reactions will not occur under normal conditions. Begins to decompose, very slowly, at temperatures
	above 260°C. Thermal decomposition is more rapid at temperatures above 400°C.
Chemical stability	Stable under normal storage and handling conditions. May react with metal powders such as aluminum and magnesium or with fluorine compounds such as fluorine and chlorine trifluoride, and cause fire and explosion.
Possibility of hazardous reactions Conditions to avoid	Hazardous reaction or polymerization generating excessive pressure/heat will not occur. Heat. Contact with incompatible materials.
Incompatible materials	Metal powders such as aluminum and magnesium or fluorine compounds such as fluorine and chlorine trifluoride.
Hazardous decomposition products	Thermal decomposition of this product may evolve the following decomposition products at the following temperatures: Carbonyl fluoride and hydrogen fluoride (above 400°C). Tetrafluoroethylene (above 430°C). Hexafluoropropylene (above 440°C). Perfluoroisobutylene (above 475°C).
11. Toxicological information	
Acute toxicity	
Oral	Not available
Dermal Inhalation (vapor	Not available r) Not available
Inhalation (dust)	
Skin corrosion/irritation	Not available
Serious eye damage/eye irritation	Not available
Respiratory or skin sensitization	Not available
Germ cell mutagenicity Carcinogenicity	Not available Not available
Reproductive toxicity	Not available
Specific target organ toxicity (single exposure)	Not available

Specific target organ toxici	ity (repeated exposure)	Not available
Swallowing hazard		Not available
Others	-	n of fluoropolymers may generate polymer fumes, hydrogen ride, and perfluoroisobutylene. The toxicity information is as
	Effects on humans	Inhalation of fumes from burning may produce polymer fume fever, a temporary flu-like condition with fever, chills and cough. This may last for a whole day and night. Skin absorption will not occur. There are no reports of sensitization.
	Effects of hydrogen fluoride	Inhalation of low concentrations of hydrogen fluoride can initially include symptoms of choking, coughing, and severe eye, nose, and throat irritation, fever, chills for one to two days, followed by difficulty in breathing, cyanosis, and pulmonary edema. Overexposure to hydrogen fluoride can injure the liver and kidneys.
	Effects of carbonyl fluoride	Skin: Irritation with discomfort or rash Eye: Corrosion with corneal or conjunctival ulceration Upper respiratory passage: Irritation Lung: Temporary irritation effects with cough, discomfort, difficulty in breathing, or shortness of breath (Individuals with pre-existing diseases of the lungs may have increased susceptibility to the toxicity after excessive exposures to thermal decomposition products.)
	Effects of perfluoroisobutylene	Even trace amounts are extremely toxic.
12. Ecological information		
Ecotoxicity		Not available
		Handle with care as leakage or disposal may affect the environment. In particular, ensure that the product does not flow directly into the ground, rivers or drains.
Persistence and degradabil ecological accumulative pro Mobility in soil	-	Not available Not available Not available
Mobility in soll Hazardous to the ozone layer		Does not contain any substances that deplete the ozone layer listed in Annexes to the Montreal Protocol.
13. Disposal considerations		
Waste from residues		Dispose in accordance with applicable laws and regulations and standards of local governments. Entrust the disposal to a licensed waste disposal contractor or a local public body who conducts the disposal. When entrusting the disposal to a disposal contractor, notify the danger and toxicity thoroughly to the contractor.
Contaminated container and packaging		Dispose in accordance with applicable laws and regulations and standards of local governments.
14. Transport information		
UN number		Not dangerous goods

Item (UN transport name)

Not dangerous goods Not dangerous goods

Adhesive tape AGF-100 FR,	AGF-100, AGF-100A, AGF-10	0T, AGF-101, AGF-103T, AGF-900, AGF-300•400•500•600 series with release liner CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 6 / 6
UN Classification		Not dangerous goods
Container grade		Not dangerous goods
marine pollutant		Not dangerous goods
Liquid substances transported in bulk according to MARPOL 73/78 Annex II and IBC Code		Not dangerous goods
Special safety measures for transportation or means of transportation		Confirm that there is no damage, corrosion, or leakage of the containers before transportation. Avoid direct sunlight at transportation. Load containers not to cause damage, corrosion or leakage and thoroughly prevent load collapse. Do not stack heavy objects.
Regulatory information on domes	tic regulations, if any	Not applicable
15. Regulatory information Applicable laws and regulations a	nd information on requi	irements imposed by such laws and regulations
Pollutant Release and Transfer Register (PRTR)		Not applicable
Industrial Safety and Health Law		Not applicable
Poisonous and Deleterious Substances Control Act		Not applicable
Other applicable laws and regulations and information on requirements imposed by		Not applicable
16. Other information		
		Hazard statements herein are made based on the assumption of industrial use and general handling. Handle with care at the actual use by referring to the hazard statements herein.
	Restrictions on use	This product is not intended for medical use. Do not use this product for implant or in a way that will contact with the body fluid or tissue. Consult with us in advance if it is expected to use the product in medical field.
	References	SDS made by raw material manufacturers.

The information herein may be revised if any new findings are obtained.

Values of concentration and physical and chemical properties are not guaranteed values. Hazards identification was prepared based on the documents, information and data available at the time of preparation, but it does not mean that all documents, information and data are covered.